9-in-1 USB-C Hub Docking Station with 4K HDMI 100W PD USB 3.0 Card Reader Audio for MacBook

Basic Information

• Place of Origin: China

SUBOSEN • Brand Name:

· Certification: ISO 9001:2015,CE,FC,ROHS

• Model Number: FK01-9P25R • Minimum Order 500 Pcs

Quantity:

• Price: 2-15usd/pcs

· Packaging Details: Customized Colorful boxes

• Delivery Time: 7-10workdays • Payment Terms: TT in advance 200000PCS/month · Supply Ability:



Product Specification

· Compatibility: Works With MacBook Pro, IPad Pro, And

> More. Ideal For MacBook, Chromebook, Surface Pro, And Other USB-C Devices.

• Fast SD Card Reader: UHS-II Card Readers For High-speed Data

Transfer From SD Cards.

• 3.5mm Audio Jack: Facilitates Connection Of Headphones,

Microphones, Or Speakers.

• Color: Silver

• Warranty And Customer 12 Month Comprehensive Warranty And

Support: Reliable Customer Service.

• Stable Ethernet Gigabit Ethernet Supports Up To 1Gbps

Speeds. Connection:

• High-Speed Data USB 3.0 Ports Offer Transfer Rates Up To

Transfer: 5Gbps To 10Gbps.

 Data Transfer Speed: Up To 5Gbps



9-in-1 USB-C Hub Docking Station with 4K HDMI 100W PD USB 3.0 Card Reader Audio for MacBook

Product Description:

Our USB-C hub also features laser marking, which ensures that the labels and markings on the hub remain clear and visible for a long time. This means that you can continue using our USB-C hub for years to come, with clear and easy-to-read labels. In summary, our USB-C hub with PD is a convenient and efficient solution for all your computing needs. With its high-speed data transfer, legacy support, and easy setup and use, our USB-C hub is the perfect addition to your laptop or computer.

Technical Parameters:

| Product Name | 9-in-1 USB-C Hub Docking Station with 4K HDMI 100W PD USB 3.0 Card Reader Audio for MacBook |
|-----------------------------|---|
| USB Type-A Ports | 3 |
| Micro SD Card Reader | Supports Up To 2TB |
| Plug and Play | Yes, No Drivers Required, Ensuring Easy Setup And Use |
| High-Speed Data Transfer | USB 3.0 Ports Offer Transfer Rates Up To 5Gbps To 10Gbps |
| Material | Aluminum |
| HDMI Ports | Supports High-definition Video Output, Typically Up To 4K At 30Hz Or 60Hz |
| Logo | Available |
| SD Card Reader | SD3.0/micro Supports Up To 2TB |
| Gigabit Ethernet | Supports Up To 1Gbps Speeds |



Applications:

The SUBOSEN FK01-9P25R USB-C hub is compatible with MacBook Pro, iPad Pro, and other USB-C devices. It is also ideal for MacBook, Chromebook, Surface Pro, and other USB-C devices. The USB-C hub features a convenient USB-C hub with PD that allows you to charge your USB-C devices while using the hub. The USB-C hub with PD provides up to 100W of power delivery, ensuring that your devices are charged quickly and efficiently.

Support and Services:

Our USB-C Hub product comes with a range of technical support and services to ensure optimal performance and customer satisfaction: 24/7 email support

Online user manual and troubleshooting guide

One-year limited warranty

Free firmware updates

Compatibility testing for popular devices

Expert technical support via phone or chat (additional fees may apply)

We are committed to providing top-notch support and services to our customers. If you encounter any issues with our product, please don't hesitate to reach out to us for assistance.

FAQ:

- Q1: What is the brand name of the USB-C Hub?
- A1: The brand name of the USB-C Hub is SUBOSEN.
- Q2: What is the model number of the USB-C Hub?
- A2: The model number of the USB-C Hub is FK01.
- Q3: Where is the USB-C Hub manufactured?
- A3: The USB-C Hub is manufactured in China.
- Q4: What certifications does the USB-C Hub have?
- A4: The USB-C Hub has ISO 9001:2015, CE, FC, and ROHS certifications.
- Q5: What is the minimum order quantity for the USB-C Hub?
- A5: The minimum order quantity for the USB-C Hub is 100PCS.



Dongguan Hongxinda Electronic Technology Co., Ltd.



+8613711965307



Iujunfeng@subosen.com



subosen.com

9 F, Unit 3, Building 2, Hongfa Shuzhigang, No. 1, Jianye Second Road, Tangxia Town, Dongguan City,523711