# Laptop 15 In 1 Macbook Pro Docking Station Triple Monitor With USB 3.1 2.0 RJ45 LAN SD

#### **Basic Information**

Place of Origin: China
Brand Name: SUBOSEN
Certification: CE,FCC
Model Number: DC006
Minimum Order 500 Pcs

Quantity:

• Price: 70-100USD/PCS

Packaging Details: Customized Colorful boxes

Delivery Time: 15workdays
Payment Terms: TT in advance
Supply Ability: 200000PCS/month



### **Product Specification**

Plug And Play: YesWarranty: 1 Year

 Operating System Compatibility: Windows, MacOS

Power Delivery: Supports Up To 60W

Package Contents: Docking Station, USB-C Cable, User Manual

• Type: Desktop

• Additional Features: Plug And Play, Compact Design

Color: GrayConnectivity: USB-C


Ports: HDMI, VGA, USB 3.0, Ethernet, SD Card

Reader

Compatibility: MacBook, Chromebook, Windows Laptops



#### More Images



#### **Product Description**

Laptop 15 In 1 Docking Station USB C Triple Monitor With USB 3.1 2.0 RJ45 LAN SD

#### **Product Description**

Made with high-quality aluminum alloy, this docking station is durable and aesthetically pleasing, making it the perfect accessory for your laptop. The USB-C Hub Docking Station features a variety of ports to meet your connectivity needs. It includes an HDMI port and a VGA port, allowing you to connect your laptop to external displays and projectors. It also has a USB 3.0 port for fast data transfer rates and a Gigabit Ethernet port for a stable and reliable internet connection. In addition to these ports, the USB-C Hub Docking Station also features a SD/TF card reader, allowing you to easily transfer photos and other files from your camera or other devices. The SD card slot supports various capacities and speed classes, making it a versatile and useful feature.


#### **Technical Parameter**

- 1 x DC-IN for the additional power adapter 20V3.25A
- 1 x USB-C PD port, Mac output 60W for charging
- 1 x USB-C. 10Gbps.
- 1 x USB-C. 5Gbps
- 2 x HDMI (3840x2160@60Hz) output.
- 1 x DP (3840x2160@60Hz).
- 2 x USB3.1 Type A supports 10Gbps.
- 2 x USB2.0 Type A supports 480Mbps
- 1 x RJ45 LAN port supports 10/100/1000M.
- 1 x SD3.0/microSD3.0 Card Reader supports SDXC cards up to 2 TB, SDR25 data transfer rate 104MB/Sec. (multi -LUN)
- 1 x 3.5mm stereo combo jack (audio output)
- 1 x 3.5mm stereo combo jack (microphone input)
- 1 x S/PDIF (audio output)

#### **Specification**

Model	DC006
Port	Type-C/ 1m length
Color	Gray
Material	Aluminum Alloy
Transmission Speed	10Gbps
Hot plug&unplug	Support
Support System	Mac OS X 10.X or later Windows 8/10 32, 64-bit or later







### **EXTEND YOUR WORKSPACE**

Turn your USB-C laptop into a triple monitor via DP & 2 HDMI



## **COMPACT AND VERSATILE**















What are your advantages?

We are manufacturers who can well control quality and reduce costs to provide competitive prices and excellent quality.

What are your main products?

Our company has been focusing on 3c intelligent accessories for 15 years, and its main businesses are: docking station, HDD enclosure, video capture card and hub.

Minimum quantity and OEM time?

Sample: 5 pieces, 3-5 days OEM + Logo:2 pieces, 90 days ODM Design + free LOGO, 2pieces, 90 days

4 Is there any after-sales guarantee?

We promise to inspect 100% of the goods one by one before delivery, and only when they are completely qualified can they be packed and shipped. Warranty: 12 months.

If there is any quality problem due to non-human, please take pictures and videos and send them to us. We will immediately evaluate and after-sales, and we will replace them for you according to the actual situation within the quality quarantee period.

- What payment methods are supported? Our first choice; Alibaba trade assurance, T/T, L/C, PavPal, Western Union.
- 6 Can long-term cooperation get rebates? Of course, we have an advanced incentive system, which will give discounts according to the total order amount at the end of the year every year.



Dongguan Hongxinda Electronic Technology Co., Ltd.



+8613711965307



lujunfeng@subosen.com



subosen.com