

# 18 In 1 Thunderbolt 3 Dual Monitor Docking Station Hdmi Mac For USB C Laptop Docking Station Universal

Our Product Introduction

for more products please visit us on [subosen.com](http://subosen.com)

## Basic Information

- Place of Origin: China
- Brand Name: subosen
- Certification: CE, FCC
- Model Number: DC36-X1
- Minimum Order Quantity: 500 Pcs
- Price: 5-100
- Delivery Time: 7-30
- Payment Terms: L/C, T/T, L/C, D/P



## Product Specification

- RJ45 Gigabit Ethernet: 10M/100M/1000M
- Display Support: 8K/4K Displays
- Warranty: 1 Year
- Type: Thunderbolt 3 USB C
- Function: Charging+Data Transfer+Video Output
- Power Supply: PD 100W
- Material: Aluminum Alloy
- Data Transfer Speed: Up To 40Gbps
- Highlight: **thunderbolt 3 dual monitor, thunderbolt 3 hdmi dock, thunderbolt 3 hub mac**



## More Images



## Product Description

### 18 in 1 Thunderbolt 3 Docking Station for USB C Laptop Docking Station Universal

#### Product Description:

Thunderbolt 3 makes working with your laptop easier. Realize multiple needs like transferring files, connecting external monitors, and powering your laptop through one port. This leaves plenty of ports to handle all of your other tasks.

#### Features:

- 1 x DC-IN for the additional power adapter 20V6A
- 1 x USB-C (Type C Host,Max output 100W for charging.).
- 2 x HDMI 3840x2160@60Hz output.
- 1 x HDMI 8K@30Hz output.
- 2 x DP (3840x2160@60Hz).
- 1 x DP (8K@30Hz).
- 2 x USB-C (Type C Host). Supports 5Gbps, Supports PD18W output .
- 4 x USB3.1 Type A support 10Gbps .
- 1 x RJ45 LAN port supports 10/100/1000M.
- 1 x SD3.0/microSD3.0 Card Reader supports SDXC cards up to 2 TB, SDR25 data transfer rate 105MB/Sec. (multi-LUN)
- 1 x 3.5mm stereo combo jack (microphone input/audio output)

#### Technical Parameters:

OEM/ODM	Support
Display Support	8K/4K Displays
Data Transfer Speed	Up To 40Gbps
Type	Thunderbolt 3 USB C
RJ45 Gigabit Ethernet	10M/100M/1000M
Warranty	1 Year
Power supply	PD 100W
Material	Aluminum Alloy
Function	Charging+Data Transfer+Video Output





This is a Thunderbolt Laptop Port Converter, Thunderbolt Laptop Docking Station, Thunderbolt Notebook Hub with multiple functions, including charging, data transfer, and video output. It supports 8K/4K displays and has a data transfer speed of up to 40Gbps. The RJ45 Gigabit Ethernet supports 10M/100M/1000M. The dock is made of aluminum alloy and has a PD 100W power supply. It also comes with a 1-year warranty.

### **Applications:**

Our Thunderbolt Docking product is CE and FCC certified, ensuring that it meets international standards for safety and quality. The minimum order quantity is 500 units, with prices ranging from \$5 to \$100, making it an affordable option for businesses and individuals alike. The delivery time is between 7 to 30 days, depending on your location. We accept payment terms such as L/C, T/T, L/C, and D/P, providing you with flexible payment options.

With its sturdy aluminum alloy construction, support for RJ45 Gigabit Ethernet and 8K/4K displays, and its 1-year warranty, you can be assured of its quality and reliability.

### **Support and Services:**

Our Thunderbolt Docking product comes with comprehensive technical support and services to ensure that you have a seamless experience with our product. Here are some of the services we offer:

24/7 technical support via phone, email, or chat

Online resources, such as user manuals and troubleshooting guides

Warranty coverage for a specified period of time

Repair and replacement services for any defective products

Assistance with installation and setup

Product training and education resources

We are committed to providing our customers with the highest level of support and service. If you have any questions or concerns about our Thunderbolt Docking product, please do not hesitate to reach out to our technical support team.



**Dongguan Hongxinda Electronic Technology Co., Ltd.**

+8613711965307

lujunfeng@subosen.com

subosen.com

9 F, Unit 3, Building 2, Hongfa Shuzhigang, No. 1, Jianye Second Road, Tangxia Town, Dongguan City, 523711